

## 2022 MIAMI GRAND PRIX

5 - 8 May 2022

---

<b>From</b>	The FIA Formula One Race Director	<b>Document</b>	3
<b>To</b>	All Teams, All Officials	<b>Date</b>	05 May 2022
		<b>Time</b>	11:25

---


**Title** Event Notes - Red Zone and Pirelli Preview  
**Description** Event Notes - Red Zone and Pirelli Preview  
**Enclosed** MIA DOC 3 - Red Zone and Pirelli Preview.pdf

**Niels Wittich**

**The FIA Formula One Race Director**



FIA Formula 1  
World Championship™




PHOTOGRAPHERS EXCLUSION RED ZONE

# FORMULA 1 CRYPTO.COM MIAMI GRAND PRIX 2022

In agreement with the FIA and in accordance with Article 24.4 a) of the F1 Sporting Regulations, this document contains the prescriptions for the operation of tyres during the following event.

Document version: 1 issue: A

**Grand Prix of Miami 06/05-08/05/2022 (22R05MIA)**



**Compounds selection**


Compound	FL	FR	RL	RR	Mandatory race tyres
C2	2X1	2X2	2X3	2X4	C2
C3	3G1	3G2	3G3	3G4	C3
C4	4Z1	4Z2	4Z3	4Z4	
Intermediate	9G1	9G2	9G3	9G4	Q3 tyre
Wet	95B	96B	97B	98B	C4

**Prescriptions**

**Pressures & camber**

	Minimum starting pressure			Expected stabilized running pressure	Camber limit
	Slicks	Intermediate	Wet		
Front	24.5 psi	24.5 psi	23.5 psi	≥26.5 psi	-3.25°
Rear	20.5 psi	20.5 psi	19.5 psi	≥22.5 psi	-2.00°

**Cold Pressure Cooling Curve**



$$P_{front} = (T - 70) \cdot 0.123 + P_{startf}$$

$$P_{rear} = (T - 70) \cdot 0.111 + P_{startr}$$

*P<sub>startf</sub>*: Minimum starting pressure on the front axle [psi]

*P<sub>startr</sub>*: Minimum starting pressure on the rear axle [psi]

*T*: Tyre temperature [°C]

**Maximum heating times and temperatures (tread & sidewall)**

Temperature	0	40	60	70 (°C)
Slicks	max. 3h			
Intermediate	max. 2h			
Wet	max. 2h			

- Temperatures refer to tyre tread and side wall temperatures, not blanket or controller set-point temperatures.
- Tyres may only be heated prior to the session in which they are intended to be used.
- The temperatures apply at all times during the event.

**Tyres notes**

- Not permitted to switch tyres from their originally allocated position.
- Do not subject tyres to large deformation or heavy impact.
- Do not leave fitted tyres exposed at an air temperature lower than 15°C and/or any UV emission.
- Revised prescriptions could be issued during the race weekend in accordance with TD003.
- Heating time temperature limits apply to the actual tyre surface temperature measured with the IR gun as detailed in the TD003
- Cold cooling curve temperature limits apply to the tyre side wall temperature measured with the probe as detailed in TD003
- BLANKET HEATING TIME for each temperature range to be counted from the moment the blanket control unit is set to reach its targeted temperature within its correspondent interval.

**General notes**

- Teams are kindly reminded that the following will be subject to FIA checks during the event:
- Starting pressures
  - Cold pressures (according to the cold pressure cooling curves)
  - Re-heat pressures
  - EOS Camber
  - Maximum tyre temperatures in blankets
  - Tyre swapping